

Receiving Report

Date: 14-10-8 Batch No: 130561
 Supplier: ThyssenKrupp Dart P/O: 25832

Packing Slip: Yes ☒ No ☐ Release Note Attached: Yes ☒ No ☐ N/A ☐
 Invoice: Yes ☒ No ☐ Waybill Attached: Yes ☒ No ☐ N/A ☐
 Receipt: Cash ☐ Cr ☒ Shipment Complete: Yes ☒ No ☐ N/A ☐
 New Supplier Yes ☐ No ☒ QC18 Inspection DAS ☒ N/A ☐
 Work Order 16 ☒ N/A ☐
9-89 14/10/08

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number
17707516	B7.000 x 2.000	23	0				
	7075-16 BA1						
	7.000 x 2.000						

Initials of Receiver QC12 SP

Production/Admin: 14-10-8
 Date SP
 Received/Costing SP
 Initial SP

Location _____

Page 1 of 1

All amounts are calculated in domestic currency.

/2014

All Currencies

Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor\Vendor Name VC-COP001 Thyssenkrupp Materials CA Ltd											
PO25832	4		M303B0.750X1.500 f	f	9/26/2014	10/8/2014	12.0000	\$17.49	0.0000	0	\$209.83
CAD	No		303 BAR .750" X 1.500" m130561	f	12.0000	DESJ02		\$209.83	0.0000	0	
	5		M303B1.000X03.000 f	f	9/26/2014	10/8/2014	12.0000	\$42.78	0.0000	0	\$513.42
	No		303 BAR 1" X 3" m130561	f	12.0000	DESJ02		\$513.42	0.0000	0	
Total Received Quantity:										24.0000	
Total Qty to Inspect (PO U/M):										0.0000	
Total Reject Quantity:										0.0000	
Total Receipt Value:										\$723.25	
Total Balance Due Quantity:										0.0000	

B I L L O F L A D I N G

No: PEC 899679

Ship From:

THYSSENKRUPP MATERIALS NA

2821 LANGSTAFF ROAD

CONCORD, ONTARIO L4K 5C6

Tel: 905 669 9444 Fax: 905-738-9033

Ship Date 06Oct14 at 12:48 From PFW
Probill

Via VIM TRANSFER

FOB CONCORD

Frt PREPAID

Route 0- 0 Manifest

Vhcle Trailer

Slp STAN IVERS (905-532-1350)

Sold To: (20115)

DART AEROSPACE

1270 ABERDEEN ST

HAWKESBURY, ON K6A 1K7

Ship To: (1)

DART AEROSPACE

1270 ABERDEEN ST

HAWKESBURY, ON K6A 1K7

Tel: 613-632-9577 Fax: 613-632-1053

B I L L O F L A D I N G

1) Our Order PEC-723911- 1 Your PO # 25832

Part # ASTM A 484/ AMS 5640

STAINLESS STEEL FLAT BAR 303CD

.750" X 1.50" X 144.0000"

Heat Number

E229214

Tag No

339878

Quantity

12 FT

PCS

1

Wt LBS

48

MTR

2) Our Order PEC-723911- 2 Your PO # 25832

Part # ASTM A 484/ AMS 5640

STAINLESS STEEL FLAT BAR 303CD

1.00" X 3.00" X 144.0000"

Heat Number

677188

Tag No

339879

Quantity

12 FT

PCS

1

Wt LBS

131

MTR

TOTAL:

Tags

2

PCS

2

LBS

179

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT
WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **

** REFERENCED ON IT **

TOTAL 1 TUBE, 1 BAR GW. 185 LBS

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
CONCORD, ONT.* *** 9:00 AM TO 4:00 PM ***

Page: 1Continued

ALUMINIUM • LAITON • CUIVRE • PLASTIQUE • ACIER INOX
ALUMINUM • BRASS • COPPER • PLASTICS • STAINLESSTOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.

MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

JESSE MACLEOD

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

14 / 10 / 8

1 Tube R 506
1 BAR R 508

B I L L O F L A D I N G

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

No: PEC 899679
Ship Date 06Oct14 at 12:48 From PFW
Probill
Via VIM TRANSFER
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE

Ship To: (1)
DART AEROSPACE

B I L L O F L A D I N G

***** TEL. 800-926-2600 *****

* WE STOCK STAINLESS STEEL *

* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

***PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE
ADDED TO EVERY ORDER.***

Page: 2 Last

ALUMINIUM • LAITON • CUIVRE • PLASTIQUE • ACIER INOX
ALUMINUM • BRASS • COPPER • PLASTICS • STAINLESS

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

MILL TEST REPORT

TA CHEN INTERNATIONAL, INC.

This MTR contains 1 page (Page# 1)

Customer: COPDET PO#:5400228505 SO#:LBTC65

MTR#:STXB1320948.G

Item:FB03CD00480132 Bundle:ST950001 Heat#:E229214

950001/00114379

MONTANSTAHL
special profiles in steelTel.: +41 (91) 6416-800
Fax.: +41 (91) 6416-804
email: info@montanstahl.com

mill test certificate

114379

MONTANSTAHL AG, Via Gerratto 4, CH-6055 Stabio

Company
STAINLESS STRUCTURALS LLC
590 Beautyrest Avenue
USA 32254 JACKSONVILLEproduct
Flat - ACD 0.75 x 1.5 inch 13'-14'

mill test certificate according to

Customer specs

order n°

1857
(38762, 38402)size standards
PT 111net weight
895 lbsgrade
303production
ACDgrade standards
ASTMA582/A582M-AMS5640 type 1marking
EAF/AODbundles
950001

Chemical	C	Si	Mn	P	S	Ni	Cr	Mo	Ti	Al	N	Cu	Pb	V	Co
E229214	0.056	0.61	1.80	0.027	0.270	8.62	17.72	0.25			0.017	0.59			0.10
tensile strength	yield strength		elongation		tension reduction		hardness		impact test						
Rm	Rp 0.2%		Rp 1%		Z		HB		KV						
96 ksi	58 ksi		47 %		59 %		108								

- We hereby confirm that the material certified in this document is conform to enclosed data sheet

- Material is produced in compliance with ROHS (2002/95/EC)

- Material free from Mercury and radioactive contamination

- Country of melt: Germany

- Country of manufacturing origin: Switzerland



Trade Mark



date

24.11.2011

Tnp works' inspector

Steluna Broggi

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2403403752

CstAr

CstOr 261585

Wgt.: 48 LB

Date 09/22/2014

MILL TEST REPORT

TA CHEN INTERNATIONAL, INC.

This MTR contains 1 page (Page# 1)

Customer: COPDET PO#:5400230128 SO#:LCAA81

MTR#:SUMMIT_3B01197.1

Item:FB03CD01000300 Bundle:3B01197 Heat#:677188

BÖLLINGHAUS STEEL		Abnahmeprüfung/Mill Test Certificate/Certif. de Qualidade		No.: / Nr.: / Nr.:																																																	
		EN 10204-2004 / 3.1		000083507																																																	
Unsere innere Verweisung / Our int. Ref / N° ref int		Datum / Date / Data																																																			
5800016650 000130		20.09.2012																																																			
Normen / Standards / Normas																																																					
TYPE 303AUNS S-30300 acc. to ASTM A582/582 M-05, AMS 5840U Type 1, SAE AMS QQ-S-7635, ASTM A484/A484M-11																																																					
Kunde / Customer / Cliente			Endgültiger Kunde / Final Customer / Cliente Final																																																		
Summit Stainless Steel, LLC 2001 Elizabeth Street 08902 North Brunswick, NJ			Summit Stainless Steel, LLC 9383 Geary Avenue Santa Fe Springs 90670 Santa Fe Springs																																																		
Bestell Nr./Order Nr./Enc.Nr. BO32086			Bestell Nr./Order Nr./Enc.Nr. BO32086.12																																																		
Prüfgegenstand / Product / Produto		Gewicht / Weight / Peso		Stücke / Bundle / Alados																																																	
AISI 303 FLAT 3 x 1"		2,094 lb		02																																																	
Werkstoff-Nr. Material-no. Qualidade 1.4305		Werkstoff-Normbezeichnung / Material standard grade / Norma do material X 8 CrNiS 18-9																																																			
Beschreibung / Description / Descrição																																																					
Stainless steel cold drawn flat bars. US DPM 252,225-7014: MELT SOURCE: France / MFG: Portugal.																																																					
Chemische Analyse in % / Chemical composition in % / Análise química em %																																																					
<table border="1"> <tr> <td>677188</td> <td>C:</td> <td>0.048</td> <td>Si:</td> <td>0.437</td> <td>Mn:</td> <td>1.722</td> <td>P:</td> <td>0.029</td> <td>S:</td> <td>0.271</td> <td>Cr:</td> <td>17.144</td> <td>Ni:</td> <td>8.292</td> </tr> <tr> <td>EA</td> <td>Mo:</td> <td>0.318</td> <td>Co:</td> <td>0.133</td> <td>Cu:</td> <td>0.845</td> <td>N:</td> <td>0.024</td> <td>Ti:</td> <td>0.002</td> <td>W:</td> <td>-</td> <td>V:</td> <td>-</td> </tr> </table>						677188	C:	0.048	Si:	0.437	Mn:	1.722	P:	0.029	S:	0.271	Cr:	17.144	Ni:	8.292	EA	Mo:	0.318	Co:	0.133	Cu:	0.845	N:	0.024	Ti:	0.002	W:	-	V:	-																		
677188	C:	0.048	Si:	0.437	Mn:	1.722	P:	0.029	S:	0.271	Cr:	17.144	Ni:	8.292																																							
EA	Mo:	0.318	Co:	0.133	Cu:	0.845	N:	0.024	Ti:	0.002	W:	-	V:	-																																							
<table border="1"> <tr> <th colspan="2">ASTM E399</th> <th colspan="2">ASTM A370</th> <th colspan="2">ASTM A370</th> </tr> <tr> <td>Proben Nr. Test no.</td> <td>Kerbschlagarbeit Impact Test Resistência</td> <td>Streckgrenze Yield point Tensão de escoamento</td> <td>Dehngrenze 1% proof Limite de escoamento</td> <td>Zugfestigkeit Tensile strength Tensão de ruptura</td> <td>Dehnung Elongation Alongamento</td> </tr> <tr> <td>[Charpy V]</td> <td>RP 0.2 %</td> <td>RP 0.2 %</td> <td>RP 1.0 %</td> <td>Hm</td> <td>A (AS0-50mm)</td> </tr> <tr> <td>[J]</td> <td>[KJ]</td> <td>[KJ]</td> <td>[KJ]</td> <td>[KJ]</td> <td>[%]</td> </tr> <tr> <td>3028705.01.01</td> <td>-</td> <td>79.0</td> <td>92.0</td> <td>107.0</td> <td>48.2</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>						ASTM E399		ASTM A370		ASTM A370		Proben Nr. Test no.	Kerbschlagarbeit Impact Test Resistência	Streckgrenze Yield point Tensão de escoamento	Dehngrenze 1% proof Limite de escoamento	Zugfestigkeit Tensile strength Tensão de ruptura	Dehnung Elongation Alongamento	[Charpy V]	RP 0.2 %	RP 0.2 %	RP 1.0 %	Hm	A (AS0-50mm)	[J]	[KJ]	[KJ]	[KJ]	[KJ]	[%]	3028705.01.01	-	79.0	92.0	107.0	48.2																		
ASTM E399		ASTM A370		ASTM A370																																																	
Proben Nr. Test no.	Kerbschlagarbeit Impact Test Resistência	Streckgrenze Yield point Tensão de escoamento	Dehngrenze 1% proof Limite de escoamento	Zugfestigkeit Tensile strength Tensão de ruptura	Dehnung Elongation Alongamento																																																
[Charpy V]	RP 0.2 %	RP 0.2 %	RP 1.0 %	Hm	A (AS0-50mm)																																																
[J]	[KJ]	[KJ]	[KJ]	[KJ]	[%]																																																
3028705.01.01	-	79.0	92.0	107.0	48.2																																																
Visuelle Kontrolle Visual inspection Inspeção visual		ASTM E370 Kern Hardness Dureza		Korrosionsbeständigkeit IG Test Corrosão Intersticial																																																	
ASTM A484 Makrostruktur Dimensional inspection Inspeção dimensional		E 112-96e1 Korngröße Grain size Tamanho de grão		Wärmebehandlung Heat treatment Tratamento térmico																																																	
Verwechslungsprüfung Test of identity Teste de identificação		Staatssiegel (siehe Untersuchung) Macrographic test		Annealed Quenched 1500 °F																																																	
Bemerkungen / Remarks / Observações		Hiermit bestätigen wir, dass das Material der oben genannten Spezifikation entspricht. We confirm that this material meets the specification according to the mentioned standards. Confirmamos que este material respeita as especificações de acordo com as normas referidas.																																																			
Micrographic test: approved. Material is free of radiation contamination. No weld repair done. Material is free of mercury.																																																					

123.0 PP

From: ThyssenKrupp Materials NA


Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2403426173

CstAr

CstOr 261585

Wgt.: 131 LB

Date 10/02/2014



MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M303 B1.00 x 3.00"

PO / BATCH NO.: M130561 / P025832

DATE: Oct 8th, 2014

MATERIAL CERT REC'D: Yes

THICKNESS ORDERED: 1.00 x 3.00

QUANTITY RECEIVED: 121

THICKNESS RECEIVED: 0.998" + 2.999"

QUANTITY INSPECTED: 121

SHEET SIZE ORDERED:

QUANTITY REJECTED:

SHEET SIZE RECEIVED:

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> N	<u>ASTM 303 AISI 303</u>
CORRECT THICKNESS	<input checked="" type="checkbox"/> N	<u>0.998"</u>
PHOTO REQUIRED	Y <input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/> N	<u>ASTM A582</u>
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> N	<u>HEAT # 677188</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> N	<u>M 303 B1.00 + 3.00"</u>
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> N	<u>M130561</u>
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS</u>	SIGNED OFF BY: <u> </u>
DATE: <u>9-89 14/10/08</u>	DATE: <u> </u>

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M 303 B0.750 x 1.500"

PO / BATCH NO.: M 13056 / P025832

DATE: Oct 8th, 2014

MATERIAL CERT REC'D: 755

THICKNESS ORDERED: 0.750" x 1.500"

QUANTITY RECEIVED: 12'

THICKNESS RECEIVED: 0.748" x 1.499"

QUANTITY INSPECTED: 12'

SHEET SIZE ORDERED:

QUANTITY REJECTED:

SHEET SIZE RECEIVED:

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> N	<u>303</u> <u>AISI 303</u>
CORRECT THICKNESS	<input checked="" type="checkbox"/> N	<u>0.748"</u>
PHOTO REQUIRED	Y <input checked="" type="checkbox"/>	
CORRECT MATERIAL	Y N	<u>ASTM A582</u>
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> N	<u>HEAT# F229214</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> N	<u>M 303 B0.750 x 1.500"</u>
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> N	<u>M 130561</u>
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D	
SIZE OF TEST SAMPLE					<u>n/a</u>
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS</u>	SIGNED OFF BY: <u> </u>
DATE: <u>16</u> <u>9-89</u>	DATE: <u>11/10/08</u>

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO25832

Purchase Order Date 9/18/2014

PO Print Date 9/22/2014

Page Number 1 of 4

Order From :

VC-COP001

Ship To : DART AEROSPACE LTD

THYSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

REVISED mut.

Contact Name

Vendor Phone

905 669 9444

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

VENDOR'S TRUCK

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
----------	---	------------------------	--------------------------------------	----	--------------------------------	---------------	-------------------

1	M7075T6B7.000X2.000	7075-T6 BAR 7.000" X 2.000" (order in billets)	9/26/2014 10/31 Yes 9/26/2014		23.00 f	\$77.30	\$1,778.00
---	---------------------	---	--	--	------------	---------	------------

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

NOTE: PLEASE CUT TO SIZE: 20 PCS CUT 13.375" GRAIN DIRECTION ALONG LEGHT

Line Total:

\$1,778.00

2	M174R0.750	17-4 round bar .750	9/26/2014 Yes 9/26/2014		24.00 f	\$7.50	\$180.00
---	------------	---------------------	-------------------------------	--	------------	--------	----------

✓
9/24/14

MATERIAL: 17-4 PH / S17400 TYPE 630 SS ROUND BAR
PER AMS 5643 OR ASTM A564
GRAIN MUST BE ALONG LENGTH OF BAR
MINIMUM YIELD TENSILE STRENGTH = 100 KSI
MINIMUM ULTIMATE TENSILE STRENGTH = 150 KSI

Note:

9/22/2014



1270 ABERDEEN STREET
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

Purchase Order ID PO25832

Purchase Order Date 9/18/2014

PO Print Date 9/22/2014

Page Number 2 of 4

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name		Buyer	Chantal Lavoie
Vendor Phone	905 669 9444	Customer POID	
		Customer Tax #	10127-2607
Ship To Contact		Terms	Net 30
Ship To Phone		Currency	CAD
Ship Via:	VENDOR'S TRUCK	FOB	FCA -- (Free Carrier)
Ship Acct:			

Line Total: \$180.00

3	M2024T3S.063	2024-T3 .063 sheet	9/26/2014	192.00	\$4.01	\$770.00
			Yes	sf		
			9/26/2014			
	MATERIAL: 2024-T3 ALUMINUM SHEET AS PER QQ-A-250/4 OR AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209					

Line Total: \$770.00

4	M303B0.750X1.500	303 BAR .750" X 1.500"	9/26/2014	12.00	\$19.58	\$235.00
			Yes	f		
			9/26/2014			
	MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE					

Line Total: \$235.00

5	M303B1.000X03.000	303 BAR 1" X 3'	9/26/2014	12.00	\$47.92	\$575.00
			No	f		
			9/26/2014			
	MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE					

Note:

9/22/2014



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO25832

Purchase Order Date 9/18/2014

PO Print Date 9/22/2014

Page Number 3 of 4

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

905 669 9444

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

VENDOR'S TRUCK

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

Line Total: \$575.00

6	M303R0.500	303 Round Bar 0.500"	9/26/2014	48.00	✓	\$1.65	\$79.20
			Yes	f			
			9/26/2014				

MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582

NOTE: AISI 304/316 NOT ACCEPTABLE

Line Total: \$79.20

7	M303R0.750	303 Round Bar 0.750	9/26/2014	48.00	—	\$3.19	\$153.12
			Yes	f			
			9/26/2014				

MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582

NOTE: AISI 304/316 NOT ACCEPTABLE

Line Total: \$153.12

Note:

9/22/2014



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO25832

Purchase Order Date 9/18/2014

PO Print Date 9/22/2014

Page Number 4 of 4

Order From :

VC-COP001

Ship To : DART AEROSPACE LTD

THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL "A"
TORONTO, ON M5W 5V8
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

905 669 9444

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

VENDOR'S TRUCK

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA -- (Free Carrier)

8	M304B1.000X1.000	304 bar 1.00 x 1.00	9/26/2014	12.00	\$12.65	\$151.80
			Yes	f		
			9/26/2014			

MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE
AS PER ASTM A276 OR ASTM A240

NOTE: AISI 303 NOT ACCEPTABLE

Line Total: \$151.80

10	71401-45	PROCUREMENT QUALITY CLAUSES	9/26/2014	1.00	\$0.00	\$0.00
			No			
			9/26/2014			

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

Line Total: \$0.00

PO Total: \$3,922.12

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 2

Change Date: 9/22/2014